




NORDOST RETAIL PRICELIST NOVEMBER 2015



Made in the USA

NORDOST
MAKING THE CONNECTION



MAKING THE CONNECTION

Nordost has built a reputation on embracing a comprehensive approach to cable design — taking material, geometry and performance into account with every product we develop. Nordost believes that although cables naturally act as filters, it is our aim as cable manufacturers to filter the sound as little as possible, leaving the listener with an impression of the music, not the cabling. To accomplish this goal, all Nordost cables employ a low mass cable design with optimal signal transfer and perfect impedance matching.

Nordost puts a premium on research. It is through this research that we have become a vanguard of our industry, developing proprietary technology and specialized techniques such as Micro and Dual Mono-Filament, extruded FEP insulation and the HOLO:PLUG® connector, putting us a step ahead of our competitors.

Email	Email orders to orders@advanceaudio.com.au
Address	Advance Audio Australia Unit 8/509-529 Parramatta Road Leichhardt NSW 2040
Phone and Fax	Ph: 02 9561 0799 Fx: 02 9569 1085
Website	www.advanceaudio.com.au
Warranty Information	Nordost Products carry a limited lifetime warranty covering manufacturing faults, excluding QRT power products which carry a five year warranty. Warranties are non-transferrable.
Shipping	Charges will apply to orders under \$1000.

Representative	Email	Phone
NSW		
Patrick Diab	patrick.diab@advanceaudio.com.au	0487 999 029
Northern NSW		
Vito Napoli	vito.napoli@advanceaudio.com.au	0408 222 377
VIC/SA/TAS		
Wayne Skelton	wayne.skelton@advanceaudio.com.au	0448 304 683
Pete Crowe	pete.crowe@advanceaudio.com.au	0422 855 555
QLD		
Gordon Williams	gordon.williams@advanceaudio.com.au	0407 865 221
Glen Harkins	glen.harkins@advanceaudio.com.au	0430 582 478
David Lowton	david.lowton@advanceaudio.com.au	0412 238 296
WA		
Peter Shilkin	peters@universalav.net.au	0411 211 366

HOW TO MAKE A MODEL NUMBER

A: Cable Model Codes

WL	= White Lightning (SG only)
PF	= Purple Flare (SG only)
LSBH	= Leif Series Blue Heaven (SG only)
LSRD	= Leif Series Red Dawn (SG only)
BSLSW	= BassLine Shielded Sub-Woofer
2FR	= Frey 2 (SG only)
2HE	= Heimdall 2 (SG only)
2TY	= Tyr 2 (SG only)
2OD	= ODIN 2
2ODPWR	= ODIN 2 Power
2ODD	= ODIN 2 Digital
OD	= ODIN
ODPWR	= ODIN Power
iK2HE	= Heimdall 2 iKable
2VH	= Valhalla 2
2VHD	= Valhalla 2 Digital
2VHPWR	= Valhalla 2 Power
HEPWR	= Heimdall Power
FRPWR	= Frey Power
BHPWR	= Blue Heaven Power
PFPWR	= Purple Flare Power
BHUSB	= Blue Heaven USB 2.0
BHDMI	= Blue Heaven HDMI

B: Cable Length

0.6M	= 2 ft.
1M	= 3.3 ft.
1.5M	= 5 ft.
2M	= 6.6 ft.
2.5M	= 8 ft.
3M	= 10 ft.
3.5M	= 11.5 ft.
4M	= 13.3 ft.
5M	= 15 ft.
5.5M	= 18 ft.
6M	= 20 ft.

C: Connectors

B	= Banana Z-plugs (BFA)
BNC	= BNC
R	= RCA
S	= Spade
AA	= A to A (USB)
AB	= A to B (USB)
XLR	= XLR (Balanced)
TA/90	= Right Angle Tone Arm DIN (see chart to right)
TA	= Straight Tone Arm DIN
TAR	= RCA to RCA Tone arm
3.5	= 3.5 mini stereo plug
DIN	= 5 pin DIN connector

D: Power Cord Configuration

US	= United States
UK	= United Kingdom
EUR	= Europe
AUS	= Australia

E: Power Cord Amp Selection

15	= 15 Amp (Default)
20	= 20 Amp

F: Speaker Cable Configuration

SG	= Shotgun - 2 connections at Amp & 2 connections at Speaker
BW	= Biwire - 2 connections at Amp & 4 connections at Speaker
BA	= BiAmp - 4 connections at Amp & 4 connections at speaker

Pin Orientation of 90° (Right Angle) Tonearm Connectors

VIEW FACING CONTACTS (MATING VIEW)

90A Horizontal Configuration



90B Vertical Configuration



90C 180° Horizontal Configuration



90D Vertical Configuration



Examples

Speaker Cables

2TY4MSB/SG: 4 meter pair of Tyr 2 Speaker Cables with 2 spades on the amp end and 2 bananas on the speaker end of each cable.

Interconnects

BHD1MR: 1 meter Blue Heaven Digital Interconnect with RCA connections at both ends.




Power Cord




HEPWR2M/US-15: 2 meter Heimdall power cord, 15 Amp, configured for the United States.




Notes:




All speaker cables and analog interconnects are sold in pairs. To order a single cable, please use .5 for the quantity.




If you would like the same connectors on both ends, only one connector code is necessary. If you require one type of connector at the Amp/Source end and a different connector at the Speaker/Receiving end, list BOTH connector codes in the order of AMP/SOURCE to SPEAKER/RECEIVING.





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
ODIN 2				
ODIN 2 POWER CORD 	<p>Fully manufactured and terminated in the USA Mechanically tuned spacing, length and Dual Mono-Filament High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation 7 x 14 AWG silver-plated 99.999999% OFC solid core conductors 0.014 µH/ft Inductance 1.33 Ohms per 1000ft DC Resistance 20 Amp Cable Power Rating 100% Individually shielded total coverage Velocity of Propagation: 88% Speed of Light Odin 2 HOLO:PLUG® gold-plated US (Nema), EU (Schuko), AUS or Furutech UK to Odin 2 HOLO:PLUG® IEC-C15 or IEC-C19 termination</p>	2ODPWR1.25M	1.25M	\$24,995.00
		2ODPWR2.5M	2.5M	\$33,495.00
		2ODPWR5M	5M	\$48,795.00
		EXTRA 1.25M	EXTRA 1.25M	\$7,995.00
		ADD HOLO:PLUG 20 AMP		\$645.00
		<hr/>		
ODIN 2 ANALOG INTERCONNECT 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design 10 x 23 AWG silver-plated 99.999999% solid core OFC conductors 18.5pF/ft Capacitance 0.05µH/ft Inductance 100% Individually shielded total coverage Velocity of Propagation: 90% Speed of Light HOLO:PLUG® gold-plated RCA or HOLO:PLUG® gold-plated XLR termination (note: retermination unavailable)</p>	2OD0.6MR	0.6M	\$29,995.00
		2OD1MR	1M	\$33,995.00
		2OD1.5MR	1.5M	\$37,995.00
		2OD2MR	2M	\$41,995.00
		2OD2.5MR	2.5M	\$45,495.00
		2OD3MR	3M	\$49,595.00
		2OD3.5MR	3.5M	\$53,495.00
		2OD4MR	4M	\$57,195.00
		2OD4.5MR	4.5M	\$60,995.00
		2OD5MR	5M	\$64,795.00
		2OD5.5MR	5.5M	\$68,695.00
		2OD6MR	6M	\$72,495.00
		2OD6.5MR	6.5M	\$76,295.00
		2OD7MR	7M	\$79,995.00
EXTRA 0.5M PAIR	EXTRA 0.5M	\$3,995.00		
<hr/>				
ODIN 2 DIGITAL CABLE 75 OHM 	<p>Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Co-axial design 1 x 14 AWG Silver-plated 99.999999% solid core OFC conductor 15.3pF/ft Capacitance 75 Ohm Impedance 100% Total shield coverage Velocity of Propagation: 90% Speed of Light 75 Ohm S/PDIF digital cable terminated with HOLO:PLUG® gold-plated BNCs. Gold-plated BNC to RCA adaptors included</p>	2ODD1.25MBNC	1.25M	\$16,795.00
		2ODD2.5MBNC	2.5M	\$21,295.00
		2ODD5MBNC	5M	\$30,459.00
		EXTRA 1.25M	EXTRA 1.25M	\$4,895.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
ODIN 2 DIGITAL CABLE 110 OHM 	<p>Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Twin-axial design 2 x 18 AWG Silver-plated 99.999999% solid core OFC conductors 10.5pF/ft Capacitance 110 Ohm Impedance 100% Total shield coverage Velocity of Propagation: 90% Speed of Light 110 Ohm AES/EBU digital cable terminated with HOLO:PLUG® gold-plated XLRs</p>	2ODD1.25MXLR	1.25M	\$16,795.00
		2ODD2.5MXLR	2.5M	\$21,295.00
		2ODD5MXLR	5M	\$29,995.00
		EXTRA 1.25M	EXTRA 1.25M	\$4,895.00
ODIN 2 TONEARM CABLE 	<p>Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design 4 x 23 AWG silver-plated 99.999999% solid core OFC conductors Secondary 22 AWG silver-plated ground wire with spade on din end 9.75pF/ft (RCA) or 23.5pF/ft (XLR) Capacitance 0.11µH/ft (RCA) or 0.0611µH/ft (XLR) Inductance 100% Individually shielded total coverage Velocity of Propagation: 90% Speed of Light Available with straight HOLO:PLUG® din, HOLO:PLUG® RCA, or HOLO:PLUG® XLR connectors. Model numbers reflect a straight HOLO:PLUG® din to HOLO:PLUG® RCA.</p>	2OD1.25MTA	1.25M	\$18,295.00
		2OD2MTA	2M	\$22,895.00
		2OD3MTA	3M	\$28,995.00
		EXTRA 1M	EXTRA 1M	\$6,495.00
		HOLO PLUG		\$169.00
ODIN 2 SPEAKER CABLE 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) Insulation Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design 26 x 20 AWG silver-plated 99.999999% solid core OFC conductors 8.0pF/ft Capacitance 0.125µH/ft Inductance Velocity of Propagation: 98% Speed of Light HOLO:PLUG® gold-plated Spade or HOLO:PLUG® gold-plated low-mass Z-plug Banana termination</p>	2OD1MS	1M PAIR	\$45,795.00
		2OD1.5MS	1.5M PAIR	\$51,895.00
		2OD2MS	2M PAIR	\$57,995.00
		2OD2.5MS	2.5M PAIR	\$63,995.00
		2OD3MS	3M PAIR	\$69,995.00
		2OD3.5MS	3.5M PAIR	\$76,295.00
		2OD4MS	4M PAIR	\$82,395.00
		EXTRA 0.5M PAIR	0.5M PAIR	\$6,495.00
		O2I1SS	13.5" JUMPERS	\$11,295.00
		O2I2SS	27" JUMPERS	\$16,195.00








RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
POWER CORDS				
PURPLE FLARE POWER CORD 	Fully manufactured and terminated in the USA Micro Mono-Filament construction Dedicated two conductor design for figure 8 application only 2 x 16 AWG 65 strand 99.9999% OFC conductors FEP insulation UL® approved 10.0pF/ft Capacitance 0.155uH/ft Inductance No 20 Amp Wall Socket Available	PFPWR-1M	1M	\$199.00
		PFPWR-1.5M	1.5M	\$239.00
		PFPWR-2M	2M	\$279.00
		PFPWR-2.5M	2.5M	\$319.00
		PFPWR-3M	3M	\$359.00
		PFPWR-3.5M	3.5M	\$399.00
		PFPWR-4M	4M	\$439.00
		EXTRA 0.5M	EXTRA 0.5M	\$50.00
		90 DEGREE WALL PLUG		\$97.00
		BLUE HEAVEN POWER CORD 	Fully manufactured and terminated in the USA Micro Mono-Filament construction 15 amp IEC power cord 3 x 16 AWG 65 strand 99.9999% OFC conductors FEP insulation/UL® approved 10.0pF/ft capacitance 0.155uH/ft Inductance No 20 Amp Wall Socket Available	BHPWR -1M
BHPWR -1.5M	1.5M			\$329.00
BHPWR -2M	2M			\$399.00
BHPWR -2.5M	2.5M			\$469.00
BHPWR -3M	3M			\$529.00
BHPWR -3.5M	3.5M			\$599.00
BHPWR -4M	4M			\$669.00
EXTRA 0.5 M	EXTRA 0.5M			\$84.00
90 DEGREE WALL PLUG				\$97.00
LOW PROFILE IEC				\$97.00
90 DEGREE IEC				\$97.00
POWERCON CONNECTOR				\$119.00
RED DAWN POWER CORD 	Fully manufactured and terminated in the USA Micro Mono-Filament construction 15 amp IEC power cord 3 x 16 AWG 65 strand 99.9999% OFC conductors FEP insulation/UL® approved 10.0pF/ft capacitance 0.155uH/ft Inductance No 20 Amp Wall Socket Available			RDPWR -1M
		RDPWR -1.5M	1.5M	\$569.00
		RDPWR -2M	2M	\$669.00
		RDPWR -2.5M	2.5M	\$769.00
		RDPWR -3M	3M	\$869.00
		RDPWR -3.5M	3.5M	\$969.00
		RDPWR -4M	4M	\$1,069.00
		EXTRA 0.5 M	EXTRA 0.5M	\$129.00
		20 AMP IEC		\$97.00
		90 DEGREE WALL PLUG		\$97.00
		LOW PROFILE IEC		\$97.00
		90 DEGREE IEC		\$97.00
		FIGURE 8		\$119.00
POWERCON CONNECTOR		\$119.00		


RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
HEIMDALL 2 POWER CORD 	<p>Fully manufactured and terminated in the USA Micro-Mono Filament construction 15 amp IEC power cord 3 x 16 AWG silver plated (60 microns) 99.99999% OFC solid core conductors FEP insulation 10pF/ft capacitance 4.0 Ohms per 1,000ft/304m DC Resistance No 20 Amp Wall Socket Available</p>	HEPWR -1M	1M	\$795.00
		HEPWR -2M	2M	\$1,079.00
		HEPWR -3M	3M	\$1,349.00
		HEPWR -4M	4M	\$1,619.00
		HEPWR -5M	5M	\$1,895.00
		HEPWR -6M	6M	\$2,149.00
		HEPWR -7M	7M	\$2,429.00
		EXTRA 1M	EXTRA 1M	\$339.00
		90 DEGREE WALL PLUG		\$97.00
		LOW PROFILE IEC		\$97.00
		90 DEGREE IEC		\$97.00
		FIGURE 8		\$119.00
		POWERCON CONNECTOR		\$119.00
		FREY 2 POWER CORD 	<p>Fully manufactured and terminated in the USA Micro-Mono-Filament construction 15/20 amp IEC power cord 5 x 16 AWG silver plated (60 microns) 99.99999% OFC solid core conductors 8.8pF/ft capacitance 2.0 Ohms per 1,000ft/304m DC Resistance</p>	FRPWR -1M
FRPWR -2M	2M			\$2,495.00
FRPWR -3M	3M			\$2,895.00
FRPWR -4M	4M			\$3,349.00
FRPWR -5M	5M			\$3,779.00
FRPWR -6M	6M			\$4,195.00
FRPWR -7M	7M			\$4,595.00
EXTRA 1M	EXTRA 1M			\$495.00
20 AMP IEC				\$97.00
90 DEGREE WALL PLUG				\$97.00
LOW PROFILE IEC				\$97.00
90 DEGREE IEC				\$97.00
FURUTECH FIGURE 8				\$119.00
POWERCON CONNECTOR				\$119.00
TYR 2 POWER CORD 	<p>Fully manufactured and terminated in the USA Dual Mono-Filament technology Mechanically Tuned Lengths Low dielectric FEP insulation 7 x 16 AWG solid core, silver-plated 99.99999% OFC conductors Cable Power Rating: 20 Amps 8pF/ft Capacitance 1.3 Ohms per 1,000ft/304m</p>	TYPWR -1M	1M	\$4,095.00
		TYPWR -2M	2M	\$4,895.00
		TYPWR -3M	3M	\$5,649.00
		TYPWR -4M	4M	\$6,395.00
		TYPWR -5M	5M	\$7,195.00
		TYPWR -6M	6M	\$7,995.00
		TYPWR -7M	7M	\$8,695.00
		EXTRA 1M	EXTRA 1M	\$945.00
		20 AMP IEC		\$97.00
		90 DEGREE WALL PLUG		\$97.00
		LOW PROFILE IEC		\$97.00
		90 DEGREE IEC		\$97.00
		FURUTECH FIGURE 8		\$119.00
		POWERCON CONNECTOR		\$119.00






RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
VALHALLA 2 POWER CORD 	<p>Fully manufactured and terminated in the USA Dual Mono-Filament construction 15/20 amp IEC power cord 7 x 16 AWG silver plated (85 microns) 99.999999% OFC solid core conductors FEP insulation 8pF/ft Capacitance 1.3 Ohms per 1,000ft/304m</p>	2VHPWR1M	1M	\$7,595.00
		2VHPWR2M	2M	\$8,995.00
		2VHPWR3M	3M	\$10,495.00
		2VHPWR4M	4M	\$12,195.00
		2VHPWR5M	5M	\$13,695.00
		2VHPWR6M	6M	\$15,195.00
		EXTRA 1M	EXTRA 1M	\$1,595.00
		20 AMP IEC		\$169.00
		90 DEGREE WALL PLUG		\$97.00
		LOW PROFILE IEC		\$97.00
		90 DEGREE IEC		\$97.00
		FURUTECH FIGURE 8		\$119.00
		POWERCON CONNECTOR		\$119.00
INTERCONNECTS				
WHITE LIGHTNING INTERCONNECT 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 95% braid 4 x26 AWG silver plated 99.9999 OFC solid core conductors FEP Insulation 43.0pF/ft capacitance 0.046uH/ft inductance RCA or XLR termination</p>	WL0.6MR	0.6m	\$220.00
		WL1MR	1M	\$240.00
		WL1.5MR	1.5M	\$270.00
		WL2MR	2M	\$310.00
		WL2.5MR	2.5M	\$340.00
		WL3MR	3M	\$370.00
		WL3.5MR	3.5M	\$410.00
		EXTRA 0.5M PAIR	0.5M PAIR	\$41.95
		5-PIN OR 4-PIN CONNECTOR		\$64.00
		PURPLE FLARE INTERCONNECT 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 95% braid 6 x26 AWG silver plated 99.9999 OFC solid core conductors FEP Insulation 55.0pF/ft capacitance 0.037uH/ft inductance RCA or XLR termination</p>	PF0.6MR
PF1MR	1M			\$320.00
PF1.5MR	1.5M			\$400.00
PF2MR	2M			\$470.00
PF2.5MR	2.5M			\$530.00
PF3MR	3M			\$600.00
PF3.5MR	3.5M			\$670.00
EXTRA 0.5M PAIR	0.5M PAIR			\$84.00
5-PIN OR 4-PIN CONNECTOR				\$64.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
BLUE HEAVEN INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 95% braid 4 x24 AWG silver plated 99.9999 OFC solid core conductors FEP Insulation 45.0pF/ft capacitance 0.046uH/ft inductance RCA or XLR termination	LSBH0.6MR	0.6m	\$430.00
		LSBH1MR	1M	\$470.00
		LSBH1.5MR	1.5M	\$560.00
		LSBH2MR	2M	\$650.00
		LSBH2.5MR	2.5M	\$750.00
		LSBH3MR	3M	\$840.00
		LSBH3.5MR	3.5M	\$940.00
		EXTRA 0.5M PAIR	0.5M PAIR	\$119.00
		5-PIN OR 4-PIN CONNECTOR		\$64.00
		RED DAWN INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 95% braid 4 x24 AWG silver plated 99.9999 OFC solid core conductors FEP Insulation 45.0pF/ft capacitance 0.046uH/ft inductance RCA or XLR termination	LSRD0.6MR
LSRD1MR	1M			\$670.00
LSRD1.5MR	1.5M			\$810.00
LSRD2MR	2M			\$940.00
LSRD2.5MR	2.5M			\$1,075.00
LSRD3MR	3M			\$1,995.00
LSRD3.5MR	3.5M			\$1,345.00
EXTRA 0.5M PAIR	0.5M PAIR			\$169.00
5-PIN OR 4-PIN CONNECTOR				\$64.00
HEIMDALL 2 INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 97% braid 4 x24 AWG silver plated (60 microns) 99.99999 OFC solid core conductors Dual Mono-Filament design 25.0pF/ft capacitance 0.06uH/ft inductance Nordost MoonGlo RCA or Neutrik XLR termination			2HE0.6MR
		2HE1MR	1M	\$1,210.00
		2HE1.5MR	1.5M	\$1,480.00
		2HE2MR	2M	\$1,750.00
		2HE2.5MR	2.5M	\$2,020.00
		2HE3MR	3M	\$2,290.00
		2HE3.5MR	3.5M	\$2,550.00
		EXTRA 0.5M PAIR	0.5M PAIR	\$339.00
		5-PIN OR 4-PIN CONNECTOR		\$64.00
		FREY 2 INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 97% braid 5 x24 AWG silver plated (60 microns) 99.99999 OFC solid core conductors Dual Mono-Filament design 28.0pF/ft capacitance 0.055uH/ft inductance Nordost MoonGlo RCA or Neutrik XLR termination	2FR0.6MR
2FR1MR	1M			\$1,880.00
2FR1.5MR	1.5M			\$2,290.00
2FR2MR	2M			\$2,690.00
2FR2.5MR	2.5M			\$3,095.00
2FR3MR	3M			\$3,495.00
2FR3.5MR	3.5M			\$3,895.00
EXTRA 0.5M PAIR	0.5M PAIR			\$495.00
5-PIN OR 4-PIN CONNECTOR				\$64.00






RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
TYR 2 INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shielded analog interconnect with 95% braid 4 x24 AWG silver plated 99.9999 OFC solid core conductors FEP Insulation 45.0pF/ft capacitance 0.046uH/ft inductance RCA or XLR termination	2TY0.6MR	0.6m	\$2,695.00
		2TY1MR	1M	\$3,195.00
		2TY1.5MR	1.5M	\$3,745.00
		2TY2MR	2M	\$4,295.00
		2TY2.5MR	2.5M	\$4,795.00
		2TY3MR	3M	\$5,395.00
		2TY3.5MR	3.5M	\$5,895.00
		EXTRA 0.5M PAIR	0.5M PAIR	\$695.00
		5-PIN OR 4-PIN CONNECTOR		\$64.00
		VALHALLA 2 INTERCONNECT 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Dual shielded silver braid analog interconnect 10 x24 AWG silver plated (85 microns) 99.999999% OFC solid core conductors Dual Mono-Filament design 17.0pF/ft capacitance Holo:Plug RCA or Holo:Plug XLR termination (note: retermination unavailable)	2VH0.6MR
2VH1MR	1M			\$11,595.00
2VH1.5MR	1.5M			\$13,275.00
2VH2MR	2M			\$14,950.00
2VH2.5MR	2.5M			\$16,595.00
2VH3MR	3M			\$18,195.00
2VH3.5MR	3.5M			\$19,995.00
2VH4MR	4M			\$21,495.00
2VH4.5MR	4.5M			\$23,195.00
2VH5MR	5M			\$24,995.00
2VH5.5MR	5.5M			\$26,495.00
2VH6MR	6			\$28,395.00
2VH6.5MR	6.5M			\$29,995.00
2VH7MR	7M			\$31,695.00
EXTRA 0.5M PAIR	0.5M PAIR			\$1,795.00
5-PIN OR 4-PIN CONNECTOR				\$64.00
iKABLE				
BLUE HEAVEN iKABLE 	Fully manufactured and terminated in the USA 4 x 24 AWG stranded silver-plated 99.9999% OFC conductors Fully shielded braid High performance, low dielectric FEP insulation Gold plated, full metal jacket shell connectors available in: 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik) 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik) 3.5mm stereo mini (Neutrik) to (2x) RCA (Neutrik)	iKBH0.6M	0.6m	\$220.00
		iKBH1M	1M	\$270.00
		iKBH2M	2M	\$260.00
		iKBH3M	3M	\$450.00
		iKBH4M	4M	\$540.00
		iKBH5M	5M	\$630.00
		iKBH6M	6M	\$720.00
		EXTRA 1M	EXTRA 1M	\$119.00
HEIMDALL 2 iKABLE 	Fully manufactured and terminated in the USA 4 x 24 AWG stranded silver-plated 99.9999% OFC conductors Dual Mono-Filament technology High performance, low dielectric FEP insulation Mechanically tuned lengths Gold plated, full metal jacket shell connectors available in: 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik) 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik) 3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)	iK2HE0.6M	0.6m	\$595.00
		iK2HE1M	1M	\$745.00
		iK2HE2M	2M	\$1,045.00
		iK2HE3M	3M	\$1,395.00
		iK2HE4M	4M	\$1,695.00
		iK2HE5M	5M	\$1,995.00
		iK2HE6M	6M	\$2,395.00
		EXTRA 1M	EXTRA 1M	\$329.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
QRT POWER				
 <p>QK1</p>	<p>QK1 - POWER CONDITIONER, CONNECTS DIRECT INTO POWER SOCKET Fully manufactured in the USA, AC Load Resonating Coil, Allows for greater musicality and improves tonal balance Increases clarity of imaging, including sharpness, depth and focus, Lowers the noise floor, Load resonating coil using patented Micro Mono-Filament technology, Mechanically tuned carbon-fiber body, Gold plated NEMA or Schuko connector</p>	QK1	Supplied with EU to AUS Adapter	\$399.00
 <p>QV2</p>	<p>QV2 - POWER CONDITIONER, CALCULATES HARMONIC FREQUENCIES, CONNECTS DIRECT INTO POWER SOCKET Fully manufactured in the USA, AC Line harmonizer, Introduces carefully calculated range of harmonic frequencies to the AC line, clocked from the AC line itself, Improves sound and picture quality, Lower background noise, Increases depth of soundstage</p>	QV2	Supplied with EU to AUS Adapter	\$595.00
 <p>QB4II/AUS</p>	<p>QB4 MARK II - 4 BAY POWER CONDITIONING BOARD Fully manufactured in the USA, 4 outlet design, Focused star ground for superior sonic performance, No in-line filtering or active circuitry keeps the lowest possible AC supply impedance, Primary Earth grounding, External ground post for connection to separate clean ground, Dedicated Fuse</p>	QB4II/AUS		\$1,495.00
 <p>QB8II/AUS</p>	<p>QB8 MARK II - 8 BAY POWER CONDITIONING BOARD Fully manufactured and terminated in the USA, 8 outlet design, Focused star ground for superior sonic performance No in-line filtering or active circuitry keeps the lowest possible AC supply impedance, Primary Earth grounding External ground post for connection to separate clean ground, Dedicated Fuse</p>	QB8II/AUS		\$2,495.00
 <p>GROUND WIRE</p>	<p>GROUND WIRE - GROUND WIRE FOR AUDIO COMPONENTS Fully manufactured and terminated in the USA, Fluorinated Ethylene Propylene (FEP) insulation, Micro Mono-Filament technology, 10 AWG plated 99.9999% OFC 231 strand conductor, Termination: Large Spade (8.5mm), Crimped Ferrule (18mm x 3.8mm)</p>	QGW2MS		\$475.00
 <p>QX2</p>	<p>QX2 - TWO FIELD GENERATOR LINE CONDITIONER Fully manufactured in the USA, Field based power purifier with two field generators, Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity, Limits RFI and timing errors Lower noise floor and greater dynamic range, One outlet design makes matching the QB distribution bar to it a great combination</p>	QX2		\$2,795.00
 <p>QX4</p>	<p>QX4 - FOUR FIELD GENERATOR LINE CONDITIONER Fully manufactured in the USA, Field based power purifier with four field generators, Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity, Limits RFI and timing errors Lower noise floor and greater dynamic range, One outlet design makes matching the QB distribution bar to it a great combination</p>	QX4		\$4,195.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
HEIMDALL 2 HEADPHONE CABLE AND ACCESSORIES				
HEIMDALL 2 HEADPHONE CABLE 	4 PIN XLR TO 2 X PUSH-PULL - SUITS SENNHEISER: HD 800 HEADPHONES 4 pin XLR (male) (2x) push-pull	2HEHP-1 2M	2M	\$995.00
	4 PIN XLR TO 2 X 4 PIN MINI XLR - SUITS: AUDEZE LCD-3, LCD-2 AND LCD-XC, ABYSS AB-1266 4 pin XLR (male) (2x) 4 pin mini XLR	2HEHP-2 2M	2M	\$995.00
	4 PIN XLR TO 2 X 2PIN - SUITS SENNHEISER HD650 AND HD600 4 pin XLR (male) (2x) 2 pin	2HEHP-3 2M	2M	\$995.00
	4 PIN XLR TO 2 X SMC - SUITS HIFIMAN HE400I, HE560 AND HE-6 HEADPHONES 4 pin XLR (male) (2x) SMC	2HEHP-4 2M	2M	\$995.00
	4 PIN XLR TO 4 PIN HIROSE PUSH-PULL - SUITS MRSPEAKERS ALPHA DOG 4 pin XLR (male) (2x) 4 pin HIROSE push-pull	2HEHP-5 2M	2M	\$995.00
	4 PIN XLR TO 2 X 2.5MM MONO MINI - SUITS OPPO, HIFIMAN HE1000, SENNHEISER HD 700 4 pin XLR (male) (2x) 2.5mm mono mini	2HEHP-6 2M	2M	\$995.00
	4 PIN XLR TO 3 PIN MINI XLR - SUITS AKG K712 HEADPHONES 4 pin XLR (male) (1x) 3 pin mini XLR	2HEHP-7 2M	2M	\$995.00
	4 PIN XLR TO 3.5MM STEREO MINI - SUITS UILTRASONE HFI AND PRO 4 pin XLR (male) (1x) 3.5mm stereo mini	2HEHP-8 2M	2M	\$995.00
	4 PIN XLR TO 2 X MMCX - SUITS ULTRASONE EDITION 5 4 pin XLR (male) (2x) MMCX	2HEHP-9 2M	2M	\$995.00
HEIMDALL 2 HEADPHONE CABLE	3.5MM STEREO MINI TO 4 PIN XLR FEMALE	2HEHP3.5EXT 2M	2M	\$770.00
	6.3MM STEREO PHONO TO 4 PIN XLR FEMALE	2HEHP6.3EXT 2M	2M	\$770.00
	4 PIN XLR MALE TO 4 PIN XLR FEMALE	2HEHPXLREXT 2M	2M	\$770.00
HEIMDALL 2 ADAPTERS	6.3 STEREO PHONO TO 4 PIN XLR FEMALE ADAPTER	2HEHP6.3	0.24M	
	3.5MM STEREO MINI TO 4 PIN XLR FEMALE	2HEHP3.5	0.24M	
	2 X 3 PIN XLR MALE TO 4 PIN XLR FEMALE	2HEHP2XLR	0.25M	\$245.00
	2 X 3PIN XLR FEMALE TO 4 PIN XLR FEMALE	2HEHP2XLRF	0.25M	\$245.00
	2.5 MM 4-POLE TO 4 PIN XLR FEMALE	2HEHP2.5	0.24M	\$245.00
	2 X 3.5MM MINI TO 4 PIN XLR FEMALE	2HEHP3.5	0.25M	\$245.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
ETHERNET CABLE				
BLUE HEAVEN ETHERNET 	Fully manufactured and terminated in the USA 24 AWG solid core copper conductors Screened Foiled Twisted Pair Design (s/ftp) Fully Shielded Dual Braid High-Density Polyolefin Insulation Cable speed up to 600 MHz Terminated with shielded 8p8c/RJ45 connectors	BHNET1M	1M	\$645.00
		BHNET2M	2M	\$795.00
		BHNET3M	3M	\$945.00
		BHNET4M	4M	\$1,145.00
		BHNET5M	5M	\$1,295.00
		BHNET6M	6M	\$1,445.00
		BHNET7M	7M	\$1,595.00
		BHNET25M	25M	\$4,495.00
HEIMDALL 2 ETHERNET 	Fully manufactured and terminated in the USA 23 AWG solid core copper conductors Screened Foiled Twisted Pair Design (s/ftp) Fully Shielded Dual Braid High-Density Polyolefin Insulation Mechanically tuned lengths Cable speed up to 1000 MHz Terminated with shielded 8p8c/RJ45 connectors	2HENET1M	1M	\$1,145.00
		2HENET2M	2M	\$1,345.00
		2HENET3M	3M	\$1,595.00
		2HENET4M	4M	\$249.00
		2HENET5M	5M	\$2,095.00
		2HENET6M	6M	\$2,295.00
		2HENET7M	7M	\$2,595.00
		2HENET25M	25M	\$6,995.00
USB CABLE				
PURPLE FLARE USB 2.0 	Fully manufactured and terminated in the USA Fluorinated Ethylene Propylene (FEP) insulation Mechanically tuned lay, twisted shielded pair design 4 x 28 AWG silverplated 99.9999% OFC stranded conductors 2.0 standard, 100% Total shield coverage Velocity of Propagation: 70% Available with Standard Class A USB 2.0 to Standard A, Standard B, MicroB, or Mini B	PFUSB0.6M	0.6M	\$270.00
		PFUSB1M	1M	\$300.00
		PFUSB2M	2M	\$360.00
		PFUSB3M	3M	\$420.00
BLUE HEAVEN USB 2.0 	Fully manufactured and terminated in the USA Micro Mono-Filament technology 2.0 standard Available with class A or Class B connectors (standard is A to B) 4x20 AWG Silver plated 99.99999 OFC stranded conductors	BHUSB -1M	1M	\$380.00
		BHUSB -2M	2M	\$530.00
		BHUSB -3M	3M	\$680.00
		BHUSB -5M	5M	\$990.00
		BHUSB -7M	7M	\$1,290.00
HEIMDALL 2 USB 2.0 	Fully manufactured and terminated in the USA Newly optimized Dual Mono-Filament construction 2.0 standard 4x20 AWG Silver plated 99.99999 OFC stranded conductors Optimized cable geometry and length Available with class A or Class B connectors (standard is A to B)	HEUSB -1M	1M	\$760.00
		HEUSB -2M	2M	\$900.00
		HEUSB -3M	3M	\$1,050.00
		HEUSB -5M	5M	\$1,350.00
		HEUSB -7M	7M	\$1,650.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
HDMI, 4K AND SUBWOOFER				
BLUE HEAVEN HDMI 	DPL Labs certified for lengths up to 5m Micro Mono-Filament construction High speed with ethernet and audio return 19 x 26AWG silver plated 99.9999 OFC conductors High performance air-spaced FEP insulation Fully shielded Terminated with high quality gold plated HDMI connectors Fully manufactured and hand terminated in the USA	BHHDMI -1M	1M	\$450.00
		BHHDMI -2M	2M	\$580.00
		BHHDMI -3M	3M	\$700.00
		BHHDMI -5M	5M	\$960.00
		BHHDMI -7M	7M	\$1,220.00
		BHHDMI -9M	9M	\$1,480.00
		BHHDMI -12M	12M	\$1,850.00
HEIMDALL 2 4K UHD CABLE 	Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene propylene (FEP) insulation Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors 100% Total shield coverage Velocity of Propagation: 86% Speed of Light Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors Approvals: DPL 4K Certification	2HEUHD1M	1M	\$900.00
		2HEUHD2M	2M	\$1,200.00
		2HEUHD3M	3M	\$1,500.00
		2HEUHD5M	5M	\$2,100.00
		2HEUHD7M	7M	\$2,700.00
		2HEUHD10M	10M	\$3,650.00
VALHALLA 2 4K UHD CABLE 	Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene propylene (FEP) insulation Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors 100% Total shield coverage Velocity of Propagation: 86% Speed of Light Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors Approvals: DPL 4K Certification	2VHUHD1M	1M	\$4,550.00
		2VHUHD2M	2M	\$6,100.00
		2VHUHD3M	3M	\$7,600.00
		2VHUHD5M	5M	\$10,650.00
		2VHUHD7M	7M	\$13,700.00
		2VHUHD10M	10M	\$18,300.00
		2VHUHD12M	12M	\$21,300.00
2VHUHD15M	15M	\$25,900.00		
BASSLINE SUBWOOFER CABLE 	Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene propylene (FEP) insulation Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors 100% Total shield coverage Velocity of Propagation: 86% Speed of Light Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors Approvals: DPL 4K Certification	BSLSW3MR	3M	\$320.00
		BSLSW4MR	4M	\$400.00
		BSLSW5MR	5M	\$490.00
		BSLSW6MR	6M	\$580.00
		BSLSW7MR	7M	\$670.00





RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST		
DIGITAL CABLE						
BLUE HEAVEN DIGITAL CABLE 75 OHM 	Fully manufactured and terminated in the USA High purity class 1.003 extruded Fluorinated Ethylene propylene (FEP) insulation Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors 100% Total shield coverage Velocity of Propagation: 86% Speed of Light Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors Approvals: DPL 4K Certification	BHD1MBNC	1M	\$300.00		
		BHD1.5MBNC	1.5M	\$340.00		
		BHD2MBNC	2M	\$380.00		
		BHD2.5MBNC	2.5M	\$410.00		
		BHD3MBNC	3M	\$450.00		
		BHD3.5MBNC	3.5M	\$490.00		
		BHD4MBNC	4M	\$520.00		
		EXTRA 0.5M	EXTRA 0.5M	\$40.00		
		HEIMDALL 2 DIGITAL CABLE 75 OHM 	Fully manufactured and terminated in the USA Micro Mono-Filament technology 75 Ohm S/PDIF digital cable terminated with BNC BNC to RCA adapters are included 20 AWG silver plated (60 microns) 99.99999 OFC solid core conductor Coaxial design	HED1MBNC	1M	\$940.00
HED1.5MBNC	1.5M			\$1,140.00		
HED2MBNC	2M			\$1,340.00		
HED2.5MBNC	2.5M			\$1,540.00		
HED3MBNC	3M			\$1,740.00		
HED3.5MBNC	3.5M			\$1,940.00		
HED4MBNC	4M			\$2,140.00		
EXTRA 0.5M	EXTRA 0.5M			\$250.00		
HEIMDALL 2 DIGITAL CABLE 110 OHM 	Fully manufactured and terminated in the USA Micro Mono-Filament technology 110 Ohm AES/EBU digital cable terminated Neutrik XLR Two 20 AWG silver plated (60 microns) 99.99999 OFC solid core conductors Balanced design			HED1MXLR	1M	\$1,020.00
		HED1.5MXLR	1.5M	\$1,350.00		
		HED2MXLR	2M	\$1,550.00		
		HED2.5MXLR	2.5M	\$1,820.00		
		HED3MXLR	3M	\$2,050.00		
		HED3.5MXLR	3.5M	\$2,290.00		
		HED4MXLR	4M	\$2,500.00		
		EXTRA 0.5M	EXTRA 0.5M	\$250.00		
		VALHALLA 2 DIGITAL CABLE 75 OHM 	Fully manufactured and terminated in the USA Dual Mono-Filament technology 75 Ohm S/PDIF digital cable terminated with BNC and supplied with gold plated RCA adaptors Silver plated (85 microns) 99.999999% OFC solid core conductor Coaxial design 15.3pF/ft capacitance Propagation delay: 89% speed of light	2VHD1.25MR	1M	\$4,995.00
2VHD2MR	1.5M			\$6,400.00		
2VHD3MR	2M			\$8,240.00		
2VHD4MR	2.5M			\$9,995.00		
2VHD5MR	3M			\$11,900.00		
2VHD6MR	3.5M			\$13,695.00		
EXTRA 0.5M	4M			\$1,995.00		
VALHALLA 2 DIGITAL CABLE 110 OHM 	Fully manufactured and terminated in the USA Dual Mono-Filament technology 110 Ohm AES/EBU digital cable terminated with Neutrik XLR Two Silver plated (85 microns) 99.999999% OFC solid core conductors Balanced design 10.5pF/ft capacitance Propagation delay: 89% speed of light			2VHD1.25MXLR	1M	\$4,995.00
				2VHD2MXLR	1.5M	\$6,395.00
		2VHD3MXLR	2M	\$8,240.00		
		2VHD4MXLR	2.5M	\$9,995.00		
		2VHD5MXLR	3M	\$11,795.00		
		2VHD6MXLR	3.5M	\$13,695.00		
		EXTRA 0.5M	4M	\$1,995.00		




RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
TONEARM CABLE				
BLUE HEAVEN TONEARM CABLE 	Fully manufactured and terminated in the USA 4 x 24 AWG silver plated 99.9999 OFC solid core conductors 26 AWG drain wire 45.0pF/ft capacitance 0.046uH/ft inductance 98% shield braid Tone arm cables are available with straight Din, RCA, or XLR connectors. Model numbers reflect a straight din to RCA.	BH1.25MTA	1.25M	\$495.00
		BH1.75MTA	1.75M	\$595.00
		BH2.25MTA	2.25M	\$695.00
		BH2.75MTA	2.75M	\$795.00
		BH3.25MTA	3.25M	\$885.00
		BH3.75MTA	3.75M	\$985.00
		BH4.25MTA	4.25M	\$1,075.00
		EXTRA 0.5 M	EXTRA 0.5M	\$120.00
		90 DEG DIN		\$80.00
		HEIMDALL 2 TONEARM CABLE 	Fully manufactured and terminated in the USA 4 x 24 AWG silver plated (60 microns) 99.99999 OFC solid core conductors MonoFilament design 26 AWG drain wire 25.0pF/ft capacitance 0.06uH/ft inductance Tone arm cables are available with straight Din, RCA, or XLR connectors. Model numbers reflect a straight din to RCA.	2HE1.25MTA
2HE1.75MTA	1.75M			\$980.00
2HE2.25MTA	2.25M			\$1,100.00
2HE2.75MTA	2.75M			\$1,240.00
2HE3.25MTA	3.25M			\$1,390.00
2HE3.75MTA	3.75M			\$1,500.00
2HE4.25MTA	4.25M			\$1,650.00
EXTRA 0.5 M	EXTRA 0.5M			\$120.00
90 DEG DIN				\$80.00
FREY 2 TONEARM CABLE 	Fully manufactured and terminated in the USA 5 x 24 AWG silver plated (60 microns) 99.99999 OFC solid core conductors Mono-Filament design 26 AWG drain wire 28.0pF/ft capacitance 0.055uH/ft inductance Tone arm cables are available with straight Din, RCA, or XLR connectors. Model numbers reflect a straight din to RCA.			2FR1.25MTA
		2FR1.75MTA	1.75M	\$1,350.00
		2FR2.25MTA	2.25M	\$1,600.00
		2FR2.75MTA	2.75M	\$1,890.00
		2FR3.25MTA	3.25M	\$2,160.00
		2FR3.75MTA	3.75M	\$2,400.00
		2FR4.25MTA	4.25M	\$2,690.00
		EXTRA 0.5 M	EXTRA 0.5M	\$345.00
		90 DEG DIN		\$80.00
		VALHALLA 2 TONEARM CABLE 	Fully manufactured and terminated in the USA 4 x 22 AWG silver plated (85 microns) 99.9999999 OFC solid core conductors Dual Mono-Filament design 24 AWG silver plated stranded drain wire 17.0pF/ft capacitance 1.38 Dielectric constant Tonearm cables are available with straight Holo:Plug din, Holo:Plug RCA, or Holo:Plug XLR connectors. Model numbers reflect a straight Holo:Plug din to Holo:Plug RCA.	2VH1.25MTA
2VH1.75MTA	1.75M			\$8,400.00
2VH2.25MTA	2.25M			\$9,000.00
2VH2.75MTA	2.75M			\$9,995.00
2VH3.25MTA	3.25M			\$10,895.00
EXTRA 0.5 M	3.75M			\$995.00
90 DEG HOLO:PLUG DIN	4.25M			\$80.00

RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
SPEAKER CABLE				
WHITE LIGHTNING SPEAKER CABLE 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 10 silver plated 99.9999 OFC solid core conductors 16 AWG FEP Insulation 8.7pF/ft capacitance 0.18uH/ft inductance Banana or spade termination</p>	WL1MB	1M	\$420.00
		WL2MB	2M	\$480.00
		WL2.5MB	2.5M	\$520.00
		WL3MB	3M	\$550.00
		WL4MB	4M	\$620.00
		WL5MB	5M	\$680.00
		WL6MB	6M	\$750.00
		WL7MB	7M	\$820.00
		EXTRA 1 M	EXTRA 1M	\$75.00
		LARGE SPADES		\$20.00
PURPLE FLARE SPEAKER CABLE 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 14 silver plated 99.9999 OFC solid core conductors 15 AWG FEP Insulation 9.25pF/ft capacitance 0.17uH/ft inductance Banana or spade termination</p>	PF1MB	1M	\$560.00
		PF2MB	2M	\$660.00
		PF2.5MB	2.5M	\$720.00
		PF3MB	3M	\$760.00
		PF4MB	4M	\$860.00
		PF5MB	5M	\$970.00
		PF6MB	6M	\$1,070.00
		PF7MB	7M	\$1,170.00
		EXTRA 1 M	EXTRA 1M	\$130.00
		LARGE SPADES		\$20.00
BLUE HEAVEN SPEAKER CABLE 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 16 silver plated 99.9999 OFC solid core conductors 14 AWG FEP Insulation 9.6pF/ft capacitance 0.16uH/ft inductance Banana or spade termination</p>	LSBH1MB	1M	\$670.00
		LSBH2MB	2M	\$940.00
		LSBH2.5MB	2.5M	\$1,080.00
		LSBH3MB	3M	\$1,220.00
		LSBH4MB	4M	\$1,490.00
		LSBH5MB	5M	\$1,750.00
		LSBH6MB	6M	\$2,020.00
		LSBH7MB	7M	\$2,300.00
		EXTRA 1 M	EXTRA 1M	\$350.00
		LARGE SPADES		\$20.00
RED DAWN SPEAKER CABLE 	<p>Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 20 silver plated 99.9999 OFC solid core conductors 12 AWG FEP Insulation 10pF/ft capacitance 0.155uH/ft inductance Banana or spade termination</p>	LSRD1MB	1M	\$1,000.00
		LSRD2MB	2M	\$1,340.00
		LSRD2.5MB	2.5M	\$1,500.00
		LSRD3MB	3M	\$1,670.00
		LSRD4MB	4M	\$2,000.00
		LSRD5MB	5M	\$2,340.00
		LSRD6MB	6M	\$2,680.00
		LSRD7MB	7M	\$3,000.00
		EXTRA 1 M	EXTRA 1M	\$430.00
		LARGE SPADES		\$20.00

RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
HEIMDALL 2 SPEAKER CABLE 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 18 x 22AWG silver plated (60 microns) 99.99999 OFC solid core conductors Mono-Filament design 9.8pF/ft capacitance 0.14uH/ft inductance Banana or spade termination	2HE1MB	1M	\$1,870.00
		2HE2MB	2M	\$2,410.00
		2HE2.5MB	2.5M	\$2,680.00
		2HE3MB	3M	\$2,950.00
		2HE4MB	4M	\$3,490.00
		2HE5MB	5M	\$4,020.00
		2HE6MB	6M	\$4,580.00
		2HE7MB	7M	\$5,120.00
		EXTRA 1 M	EXTRA 1M	\$690.00
		LARGE SPADES		\$20.00
FREY 2 SPEAKER CABLE 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 22 x 22AWG silver plated (60 microns) 99.99999 OFC solid core conductors Mono-Filament design 10.3pF/ft capacitance 0.135uH/ft inductance Banana or spade termination	2FR1MB	1M	\$3,090.00
		2FR2MB	2M	\$3,750.00
		2FR2.5MB	2.5M	\$4,100.00
		2FR3MB	3M	\$4,400.00
		2FR4MB	4M	\$5,100.00
		2FR5MB	5M	\$5,800.00
		2FR6MB	6M	\$6,480.00
		2FR7MB	7M	\$7,160.00
		EXTRA 1 M	EXTRA 1M	\$860.00
		LARGE SPADES		\$20.00
TYR 2 SPEAKER CABLE 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 26 x 22AWG silver plated (60 microns) 99.99999 OFC solid core conductors Mono-Filament design 10.7pF/ft capacitance 0.13uH/ft inductance Banana or spade termination	2TY1MB	1M	\$7,300.00
		2TY2MB	2M	\$9,500.00
		2TY2.5MB	2.5M	\$10,650.00
		2TY3MB	3M	\$11,750.00
		2TY4MB	4M	\$13,950.00
		2TY5MB	5M	\$16,150.00
		2TY6MB	6M	\$18,390.00
		2TY7MB	7M	\$20,600.00
		EXTRA 1 M	EXTRA 1M	\$2,400.00
		LARGE SPADES		\$20.00
VALHALLA 2 SPEAKER CABLE 	Comes as a PAIR of cables Fully manufactured and terminated in the USA Shotgun configuration only 28 x 22AWG silver plated (60 microns) 99.99999 OFC solid core conductors Mono-Filament design 10.9pF/ft capacitance 0.125uH/ft inductance Banana or spade termination	2VH1.25MS	1.25M	\$14,650.00
		2VH2MS	2M	\$18,090.00
		2VH2.5MS	2.5M	\$20,380.00
		2VH3MS	3	\$22,650.00
		2VH3.5MS	3.5M	\$24,650.00
		2VH4MS	4M	\$27,200.00
		EXTRA 1 M	EXTRA 1M	\$2,500.00
		V2J1SS 13.5"	JUMPERS	\$4,420.00
		V2J2SS 27"	JUMPERS	\$5,840.00

RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
JUMPERS				
NORSE 2 BI-WIRE JUMPERS 	Fully manufactured and terminated in the USA Micro-Mono-Filament technology Standard configuration is spade to banana but banana to banana and spade to spade is available Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.	BWJUMP/SB	15.7cm	\$220.00
		LARGE SPADES		\$20.00
REFERENCE BI-WIRE JUMPERS 	Fully manufactured and terminated in the USA Dual Mono-Filament technology TSC shielded conductor Standard configuration is spade to banana but banana to banana and spade to spade is available Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.	REF7JUMP/SB	15.7cm	\$770.00
		LARGE SPADES		\$20.00
SORT FÜT				
SORT FÜT 	Manufactured in the USA Replaces the feet and spikes provided with loudspeakers and equipment racks Provides a direct mechanical ground path for unwanted energy Aluminum and Bronze hybrid construction Finial dome to minimize vibration 3 Ceramic balls (ZrO2) to minimize contact surface area while providing physical stability to components The Premium Package Includes: - 4 Sort Füt units - Adjustment tool to customize your Sort system to your components - Laser Leveling System for precise installation - 8mm, 6mm, and 1/4-20 threaded adapters Individual Units Include 8mm, 6mm, and 1/4-20 threaded adapters Sort Kup protects sensitive floors from scratches and dents. Sort Lock prevents the Sort Füt from loosening over time.	SF1	SINGLE UNIT	\$540.00
		SF1-4PK	4 PACK	\$2,320.00
		SK1-4PK	4 PK FLOOR PROTECT	\$460.00
		SL1	4PK SORT LOCK	\$270.00
SORT KONES 	Fully manufactured in the USA Resonance control devices Sold in single units AS – Aluminum construction with a steel ball bearing AC – Aluminum construction with a ceramic ball bearing BC – Bronze construction with a ceramic ball bearing TC – Titanium construction with a ceramic ball bearing	SK/AS	ALUMINIMUM CONSTRUCTION WITH STEEL BALL BEARING	\$100.00
		SK/AC	ALUMINIMUM CONSTRUCTION WITH CERAMIC BEARING	\$130.00
		SK/BC	BRONZE CONSTRUCTION WITH CERAMIC BEARING	\$210.00
		SK/TC	TITANIUM CONSTRUCTION WITH CERAMIC BEARING	\$599.00

RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
SORT FÜT THREADED ADAPTERS 	<p>Available sizes for Sort Füt threaded adapters (used to attach the Sort Füt units to speakers and racks)</p> <p>1/4-20 (Imperial), 6mmx1 (Metric), and 8mmx1.25 (Metric) threaded adapters come included with each Sort Füt.</p> <p>The Sort Füt is adjustable up to 9/16in (14mm).</p>	2013004-04	1/4-20 (Imperial)	\$15.40
		2013004-03	6mm x 1 (Metric)	\$15.40
		2013004-02	8mm x 1.25 (Metric)	\$15.40
		2013004-12	6-32 (Imperial)	\$15.40
		2013004-13	8-32 (Imperial)	\$15.40
		2013004-07	10-32 (Imperial)	\$15.40
		2013004-10	5/16-18 (Imperial)	\$15.40
		2013004-05	3/8-16 (Imperial)	\$15.40
		2013004-08	3/8-24 (Imperial)	\$15.40
		2013004-06	1/2-13 (Imperial)	\$15.40
		2013004-14	5mm x 0.8 (Metric)	\$15.40
		2013004-01	10mm x 1.5 (Metric)	\$15.40
		2013004-09	12mm x 1.5 (Metric)	\$15.40
		2013004-11	14mm x 2 (Metric)	\$15.40
		2013004-15	14mm x 1.5 (Metric)	\$15.40
		2013004-16	24mm x 1.5 (Metric)	\$42.00
BULK SPEAKER CABLE				
2 FLAT BULK SPEAKER CABLE 	<p>Made in the USA</p> <p>Two rectangular, solid OFC conductors held in a white extruded FEP jacket.</p> <p>7.0pF/ft capacitance</p> <p>0.17uH/ft inductance</p> <p>18 AWG</p>	2FL25M	25M	\$600.00
		2FL50M	50M	\$1,200.00
		2FL100M	100M	\$2,400.00
4 FLAT BULK SPEAKER CABLE 	<p>Made in the USA</p> <p>Four rectangular, solid OFC conductors held in a white extruded FEP jacket.</p> <p>8.0pF/ft capacitance</p> <p>0.14uH/ft inductance</p> <p>15 AWG when in shotgun configuration</p>	4FL25M	25M	\$1,200.00
		4FL50M	50M	\$2,400.00
14-2 BULK SPEAKER CABLE 	<p>Made in the USA</p> <p>Extruded Premium PVC Insulation</p> <p>41 Strand 2 x14 AWG</p> <p>99.9999% OFC</p> <p>Propagation Delay: 85% speed of light</p> <p>RoHS Compliant</p> <p>UL CL3 certified</p>	14/2-25M	25M	\$490.00
		14/2-50M	50M	\$890.00
		14/2-100M	100M	\$1,790.00
SPADE KIT	<p>1/4" X 1 3/4" HEAT SHRINK - 4 BLACK AND 4 RED</p> <p>8 X 1/4" X 3/4" BOOTS WITH ADHESIVE</p> <p>4 X 3/8" X 3/4" HEAT SHRINK FOR CABLE BREAKOUT</p> <p>8 X GOLD PLATED SPADE CONNECTORS</p>	SPADE KIT	PACK	\$180.00
BANANA KIT	<p>1/4" X 1 3/4" HEAT SHRINK - 4 BLACK AND 4 RED</p> <p>8 X 1/4" X 3/4" BOOTS WITH ADHESIVE</p> <p>4 X 3/8" X 3/4" HEAT SHRINK FOR CABLE BREAKOUT</p> <p>8 X GOLD PLATED Z-PLUG (BANANA) CONNECTORS</p>	2013004-16	PACK	\$180.00

RANGE	DESCRIPTION	MODEL	LENGTH	RETAIL INC GST
BULK SPEAKER CABLE				
NORSE 2 INTERNAL TONEARM CABLE 	Fully manufactured in the USA 4 x 32 AWG 99.99999 OFC 7/40 stranded conductors Micro Mono-Filament design 10.5pF/ft capacitance 0.06uH/ft inductance FEP Core Tube Propagation Delay: 80% speed of light Filament Colors: Red, Green, White, Blue	NOITA1M	1M	\$380.00
		NOITA25M	25M	\$9,650.00
		NOITA50M	50M	\$19,350.00
REFERENCE INTERNAL TONEARM CABLE 	Fully manufactured in the USA Litz Construction 4 x 32 AWG 99.99999 OFC 7/40 stranded conductors Micro Mono-Filament design FEP Core Tube Propagation Delay: 80% speed of light External Tube Colors: Red, Green, White, Blue	REFITA1M	1M	\$510.00
		REFITA25M	25M	\$1,290.00
		REFITA50M	50M	\$25,790.00
ACCESSORIES				
DEMO CASES 	LEIF DEMO CASE - INCLUDES WHITE LIGHTING, PURPLE FLARE, BLUE HEAVEN, RED DAWN - INTERCONNECT, SPEAKER CABLE AND POWER CORDS	CASE-LDC		N/A
	NORSE 2 DEMO CASE - INCLUDES HEIMDALL, FREY AND TYR - INTERCONNECT, SPEAKER CABLE AND POWER CORDS	CASE-N2DC		N/A
	VALHALLA 2 DEMO CASE - INCLUDES INTERCONNECTS (XLR/RCA), SPEAKER CABLE, DIGITAL CABLE (BNC/XLR) AND POWER CORDS	CASE-V2DC		N/A
TEST CD	NORDOST TEST CD TRACKS DESIGNED TO TEST YOUR SYSTEM FOR MAXIMUM PERFORMANCE WORKS BEST WITH DOWNLOADABLE PDF FROM NORDOST.COM	MIS -TESTCD	EACH	\$45.00
ECO3X	ANTI-STATIC SPRAY, REMOVES STATIC BUILDUP FROM CABLES	Eco3X	EACH	\$80.00

NÖRDOST

MAKING THE CONNECTION

DISTRIBUTED BY ADVANCE AUDIO AUSTRALIA

Tel: +61(2) 9561 0799

email: sales@advanceaudio.com.au

website: www.nordost.com